

data sheet

model GM2012


model GM2024



Features

- Self-priming
- Delrin gears and pump head
- Shaft seal material see chart
- Reversible flow
- Compatible with water, salt water, motor oil, glycol, and hydraulic oil
- Brushless versions available
- Flow rate is variable by adjusting voltage or PWM

Dimensions in Inches



Specifications

- 12 VDC - 2.5 amps - 30 watt , 24 VDC - 1.25 amps - 30 watt
- Maximum flow rate: 34 GPH or 2200 ml/min
- Maximum suction lift: 10 feet wet and 12 inch dry
- Dimensions: 4.000 x 1.750 x 2.630 inches, weight: 8.0 Ounces
- Inlet/Outlet tubing ID: 0.187 (3/16") inches
- Maximum fluid temperature: 150° F
- Pressure: 20 psi



SimplyPumps.com

724-864-5959

data sheet

model GM2012

model GM2024



SimplyPumps.com

724-864-5959

data sheet
model GM2012
model GM2024



Series 2000 Gear Pump Model Variations

Model Number	Motor Type	Gear Type	Shaft Seal	VDC IN
GM2012.DB	Brushed	Delrin	BUNA	12
GM2012.DV	Brushed	Delrin	Viton	12
GM2024.DB	Brushed	Delrin	BUNA	24
GM2024.DV	Brushed	Delrin	Viton	24
GMB2101	Brushless	Delrin	BUNA	12 - 30
GMB2103	Brushless	Delrin	Viton	12 - 30
GMB2104	Brushless	Delrin	AFLAS	12 - 30

Simply PumpsTM.com

724-864-5959